



Americanna 90/10 Vape Cartridge - Gelato Hybrid

METRC Sample: 1A40603000045C8000000593; METRC Batch:

Sample ID: 2RL19091601-01

Strain: Gelato

Matrix: Concentrates & Extracts

Type: Other

Sample Size: 26 units; Batch: 2,240 units

Collected: 09/13/2019

Received: 09/13/2019

Completed: 09/19/2019

Batch#: 00042950

Distributor

BLKBRD OCA

Lic. # C11-0000329-LIC

926 High Street,
Oakland, CA 94601

Producer

Tetra Worx, Inc.

Lic. # CDPH-10003480

Suite 100




Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	09/16/2019	Complete
Residual Solvents	09/18/2019	Pass
Microbials	09/17/2019	Pass
Pesticides	09/18/2019	Pass
Foreign Matter	09/16/2019	Pass

Cannabinoids

Complete



Analyte	LOD	LOQ	Result	Result
	µg/g	µg/g	%	mg/g
THCa	0.03	0.1	ND	ND
Δ9-THC	0.05	0.2	85.678	856.78
CBDa	0.03	0.1	ND	ND
CBD	0.06	0.2	7.229	72.29
CBN	0.03	0.1	1.149	11.49
CBG	0.06	0.2	4.740	47.40
Total THC			85.678	856.78
Total CBD			7.229	72.29
Total			98.796	987.96

Serving Size:

Method: HPLC/DAD - SOP-024

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Rachel Giffin
Lab Supervisor
09/19/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Matter Method: Microscopic Techniques - SOP-032; Moisture Method: Loss on Drying - SOP-018; Water Activity Method: IR Detection; This product has been tested by 2 River Labs, Inc. using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. 2 River Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 2 River Labs, Inc.



2 River Labs, Inc
3951 Performance Dr, Suite C
Sacramento, CA 95838

(916) 542-1479
http://www.2riverlabs.com
Lic# C8-000072-LIC

Americanna 90/10 Vape Cartridge - Gelato Hybrid

METRC Sample: 1A40603000045C8000000593; METRC Batch:

Sample ID: 2RL19091601-01

Strain: Gelato

Matrix: Concentrates & Extracts

Type: Other

Sample Size: 26 units; Batch: 2,240 units

Collected: 09/13/2019

Received: 09/13/2019

Completed: 09/19/2019

Batch#: 00042950

Distributor

BLKBRD OCA

Lic. # C11-0000329-LIC

926 High Street,
Oakland, CA 94601

Producer

Tetra Worx, Inc.

Lic. # CDPH-10003480

8535 Elder Creek Road Suite 100
Sacramento, CA 95828

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.03	0.1	0.1	ND	Pass	Fludioxonil	0.02	0.05	0.1	ND	Pass
Acephate	0.03	0.09	0.1	ND	Pass	Hexythiazox	0.01	0.03	0.1	ND	Pass
Acequinocyl	0.03	0.1	0.1	ND	Pass	Imazalil	0.03	0.09	0.03	ND	Pass
Acetamiprid	0.02	0.07	0.1	ND	Pass	Imidacloprid	0.06	0.19	5	ND	Pass
Aldicarb	0.03	0.1	0.03	ND	Pass	Kresoxim Methyl	0.03	0.1	0.1	ND	Pass
Azoxystrobin	0.02	0.05	0.1	ND	Pass	Malathion	0.04	0.12	0.5	ND	Pass
Bifenazate	0.03	0.08	0.1	ND	Pass	Metalaxyl	0.03	0.09	2	ND	Pass
Bifenthrin	0.03	0.09	3	ND	Pass	Methiocarb	0.03	0.09	0.03	ND	Pass
Boscalid	0.02	0.05	0.1	ND	Pass	Methomyl	0.03	0.09	1	ND	Pass
Captan	0.23	0.7	0.7	ND	Pass	Methyl Parathion	0.03	0.1	0.03	ND	Pass
Carbaryl	0.03	0.1	0.5	ND	Pass	Mevinphos	0.03	0.08	0.03	ND	Pass
Carbofuran	0.03	0.1	0.03	ND	Pass	Myclobutanil	0.03	0.1	0.1	ND	Pass
Chlorantraniliprole	0.06	0.17	10	ND	Pass	Naled	0.03	0.1	0.1	ND	Pass
Chlordane	0.03	0.1	0.03	ND	Pass	Oxamyl	0.07	0.21	0.5	ND	Pass
Chlorfenapyr	0.02	0.06	0.02	ND	Pass	Pacllobutrazol	0.03	0.08	0.03	ND	Pass
Chlorpyrifos	0.02	0.05	0.02	ND	Pass	Pentachloronitrobenzene	0.02	0.05	0.1	ND	Pass
Clofentezine	0.02	0.05	0.1	ND	Pass	Permethrin	0.03	0.1	0.5	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.03	0.1	0.1	ND	Pass
Cyfluthrin	0.07	0.22	2	ND	Pass	Piperonyl Butoxide	0.05	0.14	3	ND	Pass
Cypermethrin	0.1	0.29	1	ND	Pass	Prallethrin	0.03	0.1	0.1	ND	Pass
Daminozide	0.03	0.09	0.03	ND	Pass	Propiconazole	0.02	0.07	0.1	ND	Pass
DDVP	0.03	0.1	0.03	ND	Pass	Propoxur	0.03	0.1	0.03	ND	Pass
Diazinon	0.02	0.07	0.1	ND	Pass	Pyrethrins	0.02	0.05	0.5	ND	Pass
Dimethoate	0.03	0.08	0.03	ND	Pass	Pyridaben	0.03	0.08	0.1	ND	Pass
Dimethomorph	0.02	0.06	2	ND	Pass	Spinetoram	0.02	0.06	0.1	ND	Pass
Ethoprophos	0.03	0.1	0.03	ND	Pass	Spinosad	0.03	0.08	0.1	ND	Pass
Etofenprox	0.02	0.07	0.02	ND	Pass	Spiromesifen	0.03	0.1	0.1	ND	Pass
Etoxazole	0.03	0.08	0.1	ND	Pass	Spirotetramat	0.02	0.05	0.1	ND	Pass
Fenhexamid	0.03	0.1	0.1	ND	Pass	Spiroxamine	0.02	0.07	0.02	ND	Pass
Fenoxycarb	0.03	0.1	0.03	ND	Pass	Tebuconazole	0.02	0.07	0.1	ND	Pass
Fenpyroximate	0.03	0.1	0.1	ND	Pass	Thiacloprid	0.03	0.09	0.03	ND	Pass
Fipronil	0.02	0.06	0.02	ND	Pass	Thiamethoxam	0.03	0.08	5	ND	Pass
Fonicamid	0.02	0.05	0.1	ND	Pass	Trifloxystrobin	0.01	0.04	0.1	ND	Pass

Date Tested: 09/18/2019

Method: UHPLC/MS/MS - SOP-026

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Rachel Giffin
Lab Supervisor
09/19/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Matter Method: Microscopic Techniques - SOP-032; Moisture Method: Loss on Drying - SOP-018; Water Activity Method: IR Detection; This product has been tested by 2 River Labs, Inc. using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. 2 River Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 2 River Labs, Inc.



2 River Labs, Inc
3951 Performance Dr, Suite C
Sacramento, CA 95838

(916) 542-1479
http://www.2riverlabs.com
Lic# C8-0000072-LIC

Americanna 90/10 Vape Cartridge - Gelato Hybrid

METRC Sample: 1A40603000045C8000000593; METRC Batch:

Sample ID: 2RL19091601-01

Strain: Gelato

Matrix: Concentrates & Extracts

Type: Other

Sample Size: 26 units; Batch: 2,240 units

Collected: 09/13/2019

Received: 09/13/2019

Completed: 09/19/2019

Batch#: 00042950

Distributor

BLKBRD OCA

Lic. # C11-0000329-LIC

926 High Street,
Oakland, CA 94601

Producer

Tetra Worx, Inc.

Lic. # CDPH-10003480

8535 Elder Creek Road Suite 100
Sacramento, CA 95828

Microbials

Pass

Analyte	Limit	Result	Status
Aspergillus flavus	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Not Detected in 1g	Pass
Salmonella	Not Detected in 1g	Not Detected in 1g	Pass



Date Tested: 09/17/2019

Method: PCR/Fluorescence detection - SOP-033

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Rachel Giffin
Lab Supervisor
09/19/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Matter Method: Microscopic Techniques - SOP-032; Moisture Method: Loss on Drying - SOP-018; Water Activity Method: IR Detection; This product has been tested by 2 River Labs, Inc. using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. 2 River Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 2 River Labs, Inc.



2 River Labs, Inc
3951 Performance Dr, Suite C
Sacramento, CA 95838

(916) 542-1479
http://www.2riverlabs.com
Lic# C8-0000072-LIC

Americanna 90/10 Vape Cartridge - Gelato Hybrid

METRC Sample: 1A40603000045C8000000593; METRC Batch:

Sample ID: 2RL19091601-01

Strain: Gelato

Matrix: Concentrates & Extracts

Type: Other

Sample Size: 26 units; Batch: 2,240 units

Collected: 09/13/2019

Received: 09/13/2019

Completed: 09/19/2019

Batch#: 00042950

Distributor

BLKBRD OCA

Lic. # C11-0000329-LIC

926 High Street,
Oakland, CA 94601

Producer

Tetra Worx, Inc.

Lic. # CDPH-10003480

8535 Elder Creek Road Suite 100
Sacramento, CA 95828

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloroethane	0.2	0.8	1	ND	Pass
Acetone	0.2	225	5000	ND	Pass
Acetonitrile	1.8	18	410	ND	Pass
Benzene	0.2	0.8	1	ND	Pass
Butane	24	240	5000	ND	Pass
Chloroform	0.3	0.9	1	ND	Pass
Ethanol	0.3	300	5000	ND	Pass
Ethyl acetate	1.2	120	5000	ND	Pass
Ethyl ether	1.5	150	5000	ND	Pass
Ethylene oxide	0.2	0.8	1	ND	Pass
Heptane	0.15	150	5000	ND	Pass
Isopropyl alcohol	0.2	150	5000	ND	Pass
Methanol	0.8	75	3000	ND	Pass
Methylene chloride	0.02	0.08	1	ND	Pass
Hexane	1.5	15	290	ND	Pass
Pentane	0.2	225	5000	ND	Pass
Propane	5	50	5000	ND	Pass
Toluene	0.45	45	890	ND	Pass
Trichloroethylene	0.2	0.8	1	ND	Pass
Total xylenes (ortho-, meta-, para-)	0.45	45	2170	ND	Pass

Date Tested: 09/18/2019

Method: Headspace/GC-FID - SOP-028

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Rachel Giffin
Lab Supervisor
09/19/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Matter Method: Microscopic Techniques - SOP-032; Moisture Method: Loss on Drying - SOP-018; Water Activity Method: IR Detection; This product has been tested by 2 River Labs, Inc. using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. 2 River Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of 2 River Labs, Inc.